

## **Ausgewählte Publikationen 2013-2015 aus der muskuloskelettalen Forschung**

- Frobell RB, Roos HP, Roos EM, **Roemer FW**, Ranstam J, Lohmander LS. Treatment for acute anterior cruciate ligament tear: five year outcome of randomised trial. *BMJ*. 2013 Jan 24;346:f232 doi: 10.1136/bmj.f232.
- Guermazi A, **Roemer FW**, Haugen IK, Crema MD, Hayashi D. MRI-based semiquantitative scoring of joint pathology in osteoarthritis. *Nat Rev Rheumatol* 2013;9(4):236-51.
- Crema MD, Felson DT, **Roemer FW**, Niu J, Marra MD, Zhang Y, Lynch JA, El-Khoury GY, Lewis CE, Guermazi A. Peripatellar synovitis: comparison between non-contrast-enhanced and contrast-enhanced MRI and association with pain. The MOST study. *Osteoarthritis Cartilage*. 2013;21(3):413-8.
- **Roemer FW**, Felson DT, Yang T, Niu J, Crema MD, Englund M, Nevitt MC, Zhang Y, Lynch JA, El Khoury GY, Torner J, Lewis CE, Guermazi A. The association between meniscal damage of the posterior horns and localized posterior synovitis detected on T1-weighted contrast-enhanced MRI-the MOST study. *Semin Arthritis Rheum*. 2013;42(6):573-81.
- Felson DT, Niu J, Gross KD, Englund M, Sharma L, Cooke TD, Guermazi A, **Roemer FW**, Segal N, Goggins JM, Lewis CE, Eaton C, Nevitt MC. Valgus malalignment is a risk factor for lateral knee osteoarthritis incidence and progression: Findings from the multicenter osteoarthritis study and the osteoarthritis initiative. *Arthritis Rheum*. 2013;65(2):355-62.
- Crema MD, Felson DT, **Roemer FW**, Wang K, Marra MD, Nevitt MC, Lynch JA, Torner J, Lewis CE, Guermazi A. Prevalent cartilage damage and cartilage loss over time are associated with incident bone marrow lesions in the tibiofemoral compartments: the MOST study. *Osteoarthritis Cartilage*. 2013;21(2):306-13.
- Guermazi A, Hayashi D, Jarraya M, **Roemer FW**, Zhang Y, Niu J, Crema MD, Englund M, Lynch JA, Nevitt MC, Torner JC, Lewis CE, Felson DT. Medial Posterior Meniscal Root Tears Are Associated with Development or Worsening of Medial Tibiofemoral Cartilage Damage: The Multicenter Osteoarthritis Study. *Radiology*. 2013;268(3):814-21.
- Xu L, Hayashi D, Guermazi A, Hunter DJ, Li L, Winterstein A, Bohndorf K, **Roemer FW**. The diagnostic performance of radiography for detection of osteoarthritis-associated features compared with MRI in hip joints with chronic pain. *Skeletal Radiol*. 2013;42(10):1421-8
- Guermazi A, **Roemer FW**, Felson DT. Unresolved questions in rheumatology: motion for debate: osteoarthritis clinical trials have not identified efficacious therapies because traditional imaging outcome measures are inadequate. *Arthritis Rheum*. 2013;65(11):2748-58.
- Crema MD, Hunter DJ, Burstein D, **Roemer FW**, Li L, Eckstein F, Krishnan N, Hellio Le-Graverand MP, Guermazi A. Association of changes in delayed gadolinium-enhanced MRI of cartilage (dGEMRIC) with changes in cartilage thickness in the medial tibiofemoral compartment of the knee: a 2 year follow-up study using 3.0 T MRI. *Ann Rheum Dis*. 2014;73(11):1935-41
- Hayashi D, **Roemer FW**, Kohler R, Guermazi A, Gebers C, De Villiers R. Thoracic injuries in professional rugby players: mechanisms of injury and imaging characteristics. *Br J Sports Med*. 2014 ;48(14):1097-101
- Hunter DJ, Guermazi A, **Roemer F**, Zhang Y, Neogi T. Structural correlates of pain in joints with osteoarthritis. *Osteoarthritis Cartilage*. 2013;21(9):1170-8.
- Hayashi D, Xu L, Guermazi A, Kwok CK, Hannon MJ, Jarraya M, Green SM, Jakicic JM, Moore CE, **Roemer FW**. Prevalence of MRI-detected mediopatellar plica in subjects with knee pain and the association with MRI-detected patellofemoral cartilage damage and bone marrow lesions: data from the Joints On Glucosamine study. *BMC Musculoskelet Disord*. 2013;14:292. doi: 10.1186/1471-2474-14-292.
- **Roemer FW**, Guermazi A, Trattig S, Apprich S, Marlovits S, Niu J, Hunter DJ, Welsch GH. Whole joint MRI assessment of surgical cartilage repair of the knee: Cartilage Repair OsteoArthritis Knee Score (CROAKS). *Osteoarthritis Cartilage*. 2014;22(6):779-99.
- **Roemer FW**, Frobell R, Lohmander LS, Niu J, Guermazi A. Anterior Cruciate Ligament OsteoArthritis Score (ACLOAS): longitudinal MRI-based whole joint assessment of anterior cruciate ligament injury. *Osteoarthritis Cartilage*. 2014 2014;22(5):668-82.

- Kwoh CK, **Roemer FW**, Hannon MJ, Moore CE, Jakicic JM, Guermazi A, Green SM, Evans RW, Boudreau R. Effect of oral glucosamine on joint structure in individuals with chronic knee pain: a randomized, placebo-controlled clinical trial. *Arthritis Rheumatol*. 2014;66(4):930-9.
- Crema MD, Hunter DJ, Burstein D, **Roemer FW**, Li L, Krishnan N, Marra MD, Hellio Le-Graverand MP, Guermazi A. Delayed gadolinium-enhanced MRI of medial tibiofemoral cartilage and its relationship with meniscal pathology: A longitudinal study using 3.0T MRI. *Arthritis Rheumatol*. 2014;66(6):1517-24
- Zhang Y, Neogi T, Hunter D, **Roemer F**, Niu J. What effect is really being measured? An alternative explanation of paradoxical phenomena in studies of osteoarthritis progression. *Arthritis Care Res (Hoboken)*. 2014;66(5):658-61.
- Guermazi A, Jomaah N, Hayashi D, Jarraya M, Silva JR Jr, Niu J, Almusa E, Landreau P, **Roemer FW**. MR arthrography of the shoulder: optimizing pulse sequence protocols for the evaluation of cartilage and labrum. *Eur J Radiol*. 2014 ;83(8):1421-8.
- Jarraya M, Hayashi D, Guermazi A, Kwoh CK, Hannon MJ, Moore CE, Jakicic JM, Green SM, **Roemer FW**. Susceptibility artifacts detected on 3T MRI of the knee: frequency, change over time and associations with radiographic findings: data from the Joints on Glucosamine Study. *Osteoarthritis Cartilage*. 2014;22(10):1499-503
- **Roemer FW**, Eckstein F, Hayashi D, Guermazi A. The role of imaging in osteoarthritis. *Best Pract Res Clin Rheumatol*. 2014;28(1):31-60.
- **Roemer FW**, Jomaah N, Niu J, Almusa E, Roger B, D'Hooghe P, Geertsema C, Tol JL, Khan K, Guermazi A. Ligamentous Injuries and the Risk of Associated Tissue Damage in Acute Ankle Sprains in Athletes: A Cross-sectional MRI Study. *Am J Sports Med*. 2014;42(7):1549-1557.
- Cherry L, King L, Thomas M, **Roemer F**, Culliford D, Bowen CJ, Arden NK, Edwards CJ. The reliability of a novel magnetic resonance imaging-based tool for the evaluation of forefoot bursae in patients with rheumatoid arthritis: the FFB score. *Rheumatology (Oxford)*. 2014;53(11):2014-7.
- Brill R, Wohlgemuth WA, Hempfling H, Bohndorf K, Becker U, Welsch U, Kamp A, **Roemer FW**. Dynamic impact force and association with structural damage to the knee joint: An ex-vivo study. *Ann Anat*. 2014;196(6):456-63.
- Atukorala I, Kwoh CK, Guermazi A, **Roemer FW**, Boudreau RM, Hannon MJ, Hunter DJ. Synovitis in knee osteoarthritis: a precursor of disease? *Ann Rheum Dis*. 2014 Dec 8. pii: annrheumdis-2014-205894. doi: 10.1136/annrheumdis-2014-205894. [Epub ahead of print]
- **Roemer FW**, Guermazi A. Osteoarthritis Year in Review 2014: imaging. *Osteoarthritis Cartilage*. 2014 Dec;22(12):2003-2012. doi: 10.1016/j.joca.2014.07.012. Epub 2014 Nov 22. Review.
- Omoumi P, Michoux N, Thienpont E, **Roemer FW**, Vande Berg BC. Anatomical distribution of areas of preserved cartilage in advanced femorotibial osteoarthritis using CT arthrography (Part 1). *Osteoarthritis Cartilage*. 2015 Jan;23(1):83-7.
- Omoumi P, Michoux N, **Roemer FW**, Thienpont E, Vande Berg BC. Cartilage thickness at the posterior medial femoral condyle is increased in femorotibial knee osteoarthritis: a cross-sectional CT arthrography study (Part 2). *Osteoarthritis Cartilage*. 2015 Feb;23(2):224-31
- Melamud K, Drapé JL, Hayashi D, **Roemer FW**, Zentner J, Guermazi A. Diagnostic imaging of benign and malignant osseous tumors of the fingers. *Radiographics*. 2014 Nov-ec;34(7):1954-67. doi: 10.1148/rg.347130031.
- Alizai H, **Roemer FW**, Hayashi D, Crema MD, Felson DT, Guermazi A. An update on risk factors for cartilage loss in knee osteoarthritis assessed using MRI-based semiquantitative grading methods. *Eur Radiol* 2015 Mar;25(3):883-93. doi: 10.1007/s00330-014-3464-7. Epub 2014 Nov 7.
- Crema MD, Nevitt MC, Guermazi A, Felson DT, Wang K, Lynch JA, Marra MD, Torner J, Lewis CE, **Roemer FW**. Progression of cartilage damage and meniscal pathology over 30 months is associated with an increase in radiographic tibiofemoral joint space narrowing in persons with knee OA--the MOST study. *Osteoarthritis Cartilage*. 2014 Oct;22(10):1743-7. doi: 10.1016/j.joca.2014.07.008.
- Kijowski R, **Roemer F**, Englund M, Tiderius CJ, Swärd P, Frobell RB. Imaging following acute knee trauma. *Osteoarthritis Cartilage*. 2014 Oct;22(10):1429-43. doi: 10.1016/j.joca.2014.06.024.

- **Roemer FW**, Jarraya M, Niu J, Silva JR, Frobell R, Guermazi A. Increased risk for radiographic osteoarthritis features in young active athletes: a cross-sectional matched case-control study. *Osteoarthritis Cartilage* 2015;23(2):239-43. doi: 10.1016/j.joca.2014.11.011.
- **Roemer FW**, Hayes CW, Miller CG, Hoover K, Guermazi A. Imaging atlas for eligibility and on-study safety of potential shoulder adverse events in anti-NGF studies (Part 3). *Osteoarthritis Cartilage*. 2015 Jan;23 Suppl 1:S59-68. doi: 10.1016/j.joca.2014.09.018.
- **Roemer FW**, Hayes CW, Miller CG, Hoover K, Guermazi A. Imaging atlas for eligibility and on-study safety of potential hip adverse events in anti-NGF studies (Part 2). *Osteoarthritis Cartilage*. 2015 Jan;23 Suppl 1:S43-58. doi: 10.1016/j.joca.2014.09.014
- Miller CG, Guermazi A, **Roemer F**. The current status of imaging in anti-NGF clinical trials. *Osteoarthritis Cartilage*. 2015 Jan;23 Suppl 1:S3-7. doi: 10.1016/j.joca.2014.09.002.
- **Roemer FW**, Hayes CW, Miller CG, Hoover K, Guermazi A. Imaging atlas for eligibility and on-study safety of potential knee adverse events in anti-NGF studies (Part 1). *Osteoarthritis Cartilage*. 2015 Jan;23 Suppl 1:S22-42. doi: 10.1016/j.joca.2014.09.015.
- **Roemer FW**, Kwoh CK, Hannon MJ, Hunter DJ, Eckstein F, Wang Z, Boudreau RM, John MR, Nevitt MC, Guermazi A. Can Structural Joint Damage Measured with MR Imaging Be Used to Predict Knee Replacement in the Following Year? *Radiology* 2015;274(3):810-20
- **Roemer FW**, Jarraya M, Kwoh CK, Hannon MJ, Boudreau RM, Green SM, Jakicic JM, Moore C, Guermazi A. Brief Report: Symmetry of radiographic and MRI-detected structural joint damage in persons with knee pain - the Joints on Glucosamine (JOG) Study.
  - *Osteoarthritis Cartilage* 2015;23(8):1343-7
- Hunter DJ, Arden N, Cicuttini F, Crema MD, Dardzinski B, Duryea J, Guermazi A, Haugen IK, Kloppenburg M, Maheu E, Miller CG, Martel-Pelletier J, Ochoa-Albíztegui RE, Pelletier JP, Peterfy C, **Roemer F**, Gold GE. OARSI Clinical Trials Recommendations: Hand imaging in clinical trials in osteoarthritis. *Osteoarthritis Cartilage*. 2015;23(5):732-746
- Gold GE, Cicuttini F, Crema MD, Eckstein F, Guermazi A, Kijowski R, Link TM, Maheu E, Martel-Pelletier J, Miller CG, Pelletier JP, Peterfy CG, Potter HG, **Roemer FW**, Hunter DJ. OARSI Clinical Trials Recommendations: Hip imaging in clinical trials in osteoarthritis. *Osteoarthritis Cartilage*. 2015;23(5):716-731
- Crema MD, Guermazi A, Tol JL, Niu J, Hamilton B, **Roemer FW**. Acute hamstring injury in football players: Association between anatomical location and extent of injury-A large single-center MRI report. *J Sci Med Sport*. 2015 Apr 15. pii: S1440-2440(15)00087-0. doi: 10.1016/j.jsams.2015.04.005. [Epub ahead of print]
- Hunter DJ, Altman RD, Cicuttini F, Crema MD, Duryea J, Eckstein F, Guermazi A, Kijowski R, Link TM, Martel-Pelletier J, Miller CG, Mosher TJ, Ochoa-Albíztegui RE, Pelletier JP, Peterfy C, Raynauld JP, **Roemer FW**, Totterman SM, Gold GE. OARSI Clinical Trials Recommendations: Knee imaging in clinical trials in osteoarthritis. *Osteoarthritis Cartilage*. 2015;23(5):698-715.
- **Roemer FW**, Kwoh CK, Hannon MJ, Hunter DJ, Eckstein F, Fujii T, Boudreau RM, Guermazi A. What comes first? Multi-tissue involvement leading to radiographic osteoarthritis: MRI-based trajectory analysis over 4 years in the Osteoarthritis Initiative. *Arthritis Rheumatol*. 2015 2015;67(8):2085-96
- Guermazi A, Alizai H, Crema MD, Trattnig S, Regatte RR, **Roemer FW**. Compositional MRI techniques for evaluation of cartilage degeneration in osteoarthritis. *Osteoarthritis Cartilage*. 2015;23(10):1639-53
- **Roemer FW**, Jarraya M, Niu J, Duryea J, Lynch JA, Guermazi A. Brief Report: Knee joint subchondral bone structure alterations in active athletes: a cross-sectional case-control study. *Osteoarthritis Cartilage*. 2015;23(12):2184-90.
- Kumm J, **Roemer FW**, Guermazi A, Turkiewicz A, Englund M. Natural History of Intrameniscal Signal Intensity on Knee MR Images: Six Years of Data from the Osteoarthritis Initiative. *Radiology*. 2015 Jul 14:142905. [Epub ahead of print]
- Hayashi D, **Roemer FW**, D'Hooghe P, Guermazi A. Posterior ankle impingement in athletes: Pathogenesis, imaging features and differential diagnoses. *Eur J Radiol*. 2015;84(11):2231-41
- Eckstein F, Collins JE, Nevitt MC, Lynch JA, Kraus V, Katz JN, Losina E, Wirth W, Guermazi A, **Roemer FW**, Hunter DJ. FNIH OA Biomarkers Consortium. Cartilage thickness change as an imaging biomarker

of knee osteoarthritis progression - data from the fnih OA biomarkers consortium. *Arthritis Rheumatol.* 2015 Dec;67(12):3184-9

- **Roemer FW**, Hunter DJ, Crema MD, Kwok CK, Ochoa-Albiztegui E, Guermazi A. An illustrative overview of semi-quantitative MRI scoring of knee osteoarthritis: lessons learned from longitudinal observational studies. *Osteoarthritis Cartilage.* 2015 Aug 28. pii: S1063-4584(15)01294-7. doi: 10.1016/j.joca.2015.08.011. [Epub ahead of print]
- Englund M, Haugen IK, Guermazi A, **Roemer FW**, Niu J, Neogi T, Aliabadi P, Felson DT. Evidence that meniscus damage may be a component of osteoarthritis: the Framingham study. *Osteoarthritis Cartilage.* 2015 Aug 28. pii: S1063-4584(15)01288-1. doi: 10.1016/j.joca.2015.08.005. [Epub ahead of print]
- Jarraya M, Guermazi A, Niu J, Duryea J, Lynch JA, **Roemer FW**. Multi-dimensional reliability assessment of fractal signature analysis in an outpatient sports medicine population *Ann Anat.* 2015 Aug 20;202:57-60. doi: 10.1016/j.aanat.2015.07.006. [Epub ahead of print]
- Eckstein F, Boudreau R, Wang Z, Hannon MJ, Duryea J, Wirth W, Cotofana S, Guermazi A, **Roemer F**, Nevitt M, John MR, Ladel C, Sharma L, Hunter DJ, Kwok CK; OAI Investigators. Comparison of radiographic joint space width and magnetic resonance imaging for prediction of knee replacement: A longitudinal case-control study from the Osteoarthritis Initiative. *Eur Radiol.* 2015 Sep 16. [Epub ahead of print]
- Guermazi A, **Roemer FW**, Alizai H, Winalski CS, Welsch G, Brittberg M, Trattng S. State of the Art: MR Imaging after Knee Cartilage Repair Surgery. *Radiology.* 2015 Oct;277(1):23-43. doi: 10.1148/radiol.2015141146.
- Niu J, Felson DT, Neogi T, Nevitt MC, Guermazi A, **Roemer F**, Lewis CE, Torner J, Zhang Y. Patterns of Co-existing MRI lesions and incident knee osteoarthritis: The MOST Study. *Arthritis Rheumatol.* 2015 Sep 28. doi: 10.1002/art.39436. [Epub ahead of print]
- Felson DT, Niu J, Neogi T, Goggins J, Nevitt MC, **Roemer F**, Torner J, Lewis CE, Guermazi A; MOST investigators group. Synovitis and the risk of knee osteoarthritis: the most study. *Osteoarthritis Cartilage.* 2015 Sep 29. pii: S1063-4584(15)01327-8. doi: 10.1016/j.joca.2015.09.013. [Epub ahead of print]
- Neogi T, Guermazi A, **Roemer F**, Nevitt M, Scholz J, Arendt-Nielsen L, Woolf C, Niu J, Bradley LA, Quinn E, Frey Law L. Joint inflammation is associated with pain sensitization in knee osteoarthritis: The Multicenter Osteoarthritis Study. *Arthritis Rheumatol.* 2015 Nov 10. doi: 10.1002/art.39488. [Epub ahead of print]
- **Roemer FW**, Guermazi A. What is the role of 3 T MRI in sports medicine? Revisiting the marriage after the honeymoon. *Br J Sports Med.* 2015 Oct 26. pii: bjsports-2015-095139. doi: 10.1136/bjsports-2015-095139. [Epub ahead of print]
- Hunter D, Nevitt M, Lynch J, Kraus VB, Katz JN, Collins JE, Bowes M, Guermazi A, **Roemer FW**, Losina E; FNIH OA Biomarkers Consortium. Longitudinal validation of periarticular bone area and 3D shape as biomarkers for knee OA progression? Data from the FNIH OA Biomarkers Consortium. *Ann Rheum Dis.* 2015 Oct 19. pii: annrheumdis-2015-207602. doi: 10.1136/annrheumdis-2015-207602. [Epub ahead of print]
- Sharma L, Nevitt M, Hochberg M, Guermazi A, **Roemer FW**, Crema M, Eaton C, Jackson R, Kwok K, Cauley J, Almagor O, Chmiel JS. Clinical significance of worsening versus stable preradiographic MRI lesions in a cohort study of persons at higher risk for knee osteoarthritis. *Ann Rheum Dis.* 2015 Oct 14. pii: annrheumdis-2015-208129. doi: 10.1136/annrheumdis-2015-208129. [Epub ahead of print]
- **Roemer FW**, Jarraya M, Felson DT, Hayashi D, Crema MD, Loeuille D, Guermazi A. Magnetic resonance imaging of Hoffa's fat pad and relevance for osteoarthritis research: a narrative review. *Osteoarthritis Cartilage.* 2015 Oct 9. pii: S1063-4584(15)01332-1. doi: 10.1016/j.joca.2015.09.018. [Epub ahead of print]